Calculus 1
Workbook Solutions

Exponential growth and decay

krista king
MATH

HALF LIFE

■ 1. Find the half-life of Tritium if its decay constant is 0.0562.

Solution:

Since we're calculating half-life, the exponential decay formula $y = y_0 e^{-rt}$ can be simplified to

$$\frac{1}{2} = e^{-rt}$$

Plugging in what we know, we find that half life is

$$\frac{1}{2} = e^{-0.0562t}$$

$$\ln \frac{1}{2} = \ln e^{-0.0562t}$$

$$-\ln 2 = -0.0562t$$

$$t = \frac{-\ln 2}{-0.0562} = \frac{\ln 2}{0.0562} \approx 12.33 \text{ years}$$

■ 2. Find the half-life of Cobalt-60 if its decay constant is 0.1315.

© Krista King Math

Solution:

Since we're calculating half-life, the exponential decay formula $y = y_0 e^{-rt}$ can be simplified to

$$\frac{1}{2} = e^{-rt}$$

Plugging in what we know, we find that half life is

$$\frac{1}{2} = e^{-0.1315t}$$

$$\ln \frac{1}{2} = \ln e^{-0.1315t}$$

$$-\ln 2 = -0.1315t$$

$$t = \frac{-\ln 2}{-0.1315} = \frac{\ln 2}{0.1315} \approx 5.27 \text{ years}$$

■ 3. Find the half-life of Berkelium-97 if its decay constant is 0.000503.

Solution:

Since we're calculating half-life, the exponential decay formula $y = y_0 e^{-rt}$ can be simplified to

$$\frac{1}{2} = e^{-rt}$$

© Krista King Math

Plugging in what we know, we find that half life is

$$\frac{1}{2} = e^{-0.000503t}$$

$$\ln \frac{1}{2} = \ln e^{-0.000503t}$$

$$-\ln 2 = -0.000503t$$

$$t = \frac{-\ln 2}{-0.000503} = \frac{\ln 2}{0.000503} \approx 1{,}378 \text{ years}$$

© Krista King Math

NEWTON'S LAW OF COOLING

■ 1. A cup of coffee is $195°$ F when it's brewed. Room temperature is $74°$ F. If the coffee is $180°$ F after 5 minutes, to the nearest degree, how hot is the coffee after 25 minutes?

Solution:

Use the information given and the temperature after 5 minutes to solve for k in the Newton's Law of Cooling formula.

$$T - T_s = (T_0 - T_s)e^{-kt}$$

$$180 - 74 = (195 - 74)e^{-5k}$$

$$106 = 121e^{-5k}$$

$$\frac{106}{121} = e^{-5k}$$

$$\ln \frac{106}{121} = \ln e^{-5k}$$

$$\ln \frac{106}{121} = -5k$$

$$k = -\frac{1}{5} \ln \frac{106}{121} \approx 0.02647$$

Then use k to solve for T.

© Krista King Math

$$T - 74 = (195 - 74)e^{-0.02647(25)}$$

$$T - 74 = 121e^{-0.66175}$$

$$T - 74 = 62.42966$$

$$T = 136.42966$$

The coffee is approximately $136°$ F after 25 minutes.

■ 2. A boiled egg that's $99°$ C is placed in a pan of water that's $24°$ C. If the egg is $62°$ C after 5 minutes, how much longer, to the nearest minute, will it take the egg to reach $32°$ C.

Solution:

Use the information given and the temperature after 5 minutes to solve for k in the Newton's Law of Cooling formula.

$$T - T_s = (T_0 - T_s)e^{-kt}$$

$$62 - 24 = (99 - 24)e^{-5k}$$

$$38 = 75e^{-5k}$$

$$\frac{38}{75} = e^{-5k}$$

$$\ln \frac{38}{75} = \ln e^{-5k}$$

© Krista King Math

$$\ln \frac{38}{75} = -5k$$

$$k = -\frac{1}{5} \ln \frac{38}{75} \approx 0.13598$$

Then use k to solve for t.

$$32 - 24 = (62 - 24)e^{-0.13598t}$$

$$8 = 38e^{-0.13598t}$$

$$\frac{8}{38} = e^{-0.13598t}$$

$$\ln \frac{8}{38} = \ln e^{-0.13598t}$$

$$\ln \frac{8}{38} = -0.13598t$$

$$t = \frac{1}{-0.13598} \ln \frac{8}{38} \approx 11.4662$$

The egg will be $32°$ C after about 11 and a half more minutes.

■ 3. Suppose a cup of soup cooled from $200°$ F to $161°$ F in 10 minutes in a room whose temperature is $68°$ F. How much longer will it take for the soup to cool to $105°$ F?

Solution:

© Krista King Math

Use the information given and the temperature after 10 minutes to solve for k in the Newton's Law of Cooling formula.

$$T - T_s = (T_0 - T_s)e^{-kt}$$

$$161 - 68 = (200 - 68)e^{-10k}$$

$$93 = 132e^{-10k}$$

$$\frac{93}{132} = e^{-10k}$$

$$\ln \frac{93}{132} = \ln e^{-10k}$$

$$\ln \frac{93}{132} = -10k$$

$$k = -\frac{1}{10} \ln \frac{93}{132} \approx 0.03502$$

Then use k to solve for t.

$$105 - 68 = (161 - 68)e^{-0.03502t}$$

$$37 = 93e^{-0.03502t}$$

$$\frac{37}{93} = e^{-0.03502t}$$

$$\ln \frac{37}{93} = \ln e^{-0.03502t}$$

$$\ln \frac{37}{93} = -0.03502t$$

© Krista King Math

$$t = \frac{1}{-0.03502} \ln \frac{37}{93} \approx 26.3187$$

The egg will be 105° F after about 26 more minutes.

© Krista King Math

COMPOUNDING INTEREST

■ 1. Suppose you borrow $\$15{,}000$ with a single payment loan, payable in 2 years, with interest growing exponentially at $1.82\,\%$ per month, compounded continuously. How much will it cost to pay off the loan after 2 years?

Solution:

Plug everything you know into the formula for future value with continuous compounding. Since the given rate is in terms of months, we'll convert 2 years into 24 months for time t.

$$A(t) = Pe^{rt}$$

$$A(24) = 15{,}000e^{0.0182(24)}$$

$$A(24) = \$15{,}669.72$$

■ 2. Your parents deposit $\$5{,}000$ into a college savings account, with interest growing exponentially at $0.875\,\%$ per quarter, compounded continuously. How much will be in the account after 18 years?

Solution:

© Krista King Math

Plug everything you know into the formula for future value with continuous compounding. Since the given rate is in terms of quarters, we'll convert 18 years into 72 quarters for time t.

$$A(t) = Pe^{rt}$$

$$A(72) = 5{,}000e^{0.00875(72)}$$

$$A(72) = \$9{,}388.05$$

■ 3. Suppose you win $\$50{,}000$ in a contest and you decide to save it for your retirement. You deposit it into an annuity account that pays $2.4\,\%$ semi-annually, compounded continuously. How much will the account contain after 25 years, when you plan to retire?

Solution:

Plug everything you know into the formula for future value with continuous compounding. Since the given rate is in terms of half-years, we'll convert 25 years into 50 half-years for time t.

$$A(t) = Pe^{rt}$$

$$A(50) = 50{,}000e^{0.024(50)}$$

$$A(50) = \$166{,}005.85$$

© Krista King Math

SALES DECLINE

■ 1. Suppose a pizza company stops a special sale for their three-topping pizza. They will resume the sale if sales drop to $70\,\%$ of the current sales level. If sales decline to $90\,\%$ during the first week, when should the company expect to start the special sale again?

Solution:

Use the exponential function $FV = PVe^{-rt}$. Plug in what we know.

$$FV = PVe^{-rt}$$

$$90 = 100e^{-r(1)}$$

$$\frac{90}{100} = e^{-r}$$

$$\ln \frac{90}{100} = \ln e^{-r}$$

$$\ln 90 - \ln 100 = -r$$

$$r = \ln 100 - \ln 90 \approx 0.10536$$

Find t using a sales level of $70\,\%$ and $r = 0.10536$.

$$70 = 100e^{-0.10536t}$$

$$\frac{70}{100} = e^{-0.10536t}$$

© Krista King Math

$$\ln \frac{70}{100} = \ln e^{-0.10536t}$$

$$\ln 70 - \ln 100 = -0.10536t$$

$$t = \frac{\ln 70 - \ln 100}{-0.10536} \approx 3.385$$

Since time t is in weeks, this means the company should expect to start the sale again in about 3 and a half weeks.

■ 2. Suppose a donut store experiments with raising the price of a dozen donuts to see if sales are affected. They'll resume the sale if sales drop to $80\,\%$ of the current sales level. If sales decline to $90\,\%$ after two weeks, when should the store change back to the original price?

Solution:

Use the exponential function $FV = PVe^{-rt}$. Plug in what we know.

$$FV = PVe^{-rt}$$

$$90 = 100e^{-r(2)}$$

$$\frac{90}{100} = e^{-2r}$$

$$\ln \frac{90}{100} = \ln e^{-2r}$$

© Krista King Math

$$\ln 90 - \ln 100 = -2r$$

$$r = \frac{\ln 90 - \ln 100}{-2} \approx 0.05268$$

Find t using a sales level of $80\,\%$ and $r = 0.05268$.

$$80 = 100e^{-0.05268t}$$

$$\frac{80}{100} = e^{-0.05268t}$$

$$\ln \frac{80}{100} = \ln e^{-0.05268t}$$

$$\ln 80 - \ln 100 = -0.05268t$$

$$t = \frac{\ln 80 - \ln 100}{-0.05268} \approx 4.2358$$

Since time t is in weeks, this means the store should expect to change back to the original price in about 4 and a quarter weeks.

■ 3. Suppose a flower shop decides to stop ordering roses in the winter time to see if sales are affected. They will resume the sale if sales drop to $90\,\%$ of the current sales level. If sales decline to $96\,\%$ after three weeks, when should the shop begin ordering roses again?

Solution:

© Krista King Math

Use the exponential function $FV = PVe^{-rt}$. Plug in what we know.

$$FV = PVe^{-rt}$$

$$96 = 100e^{-r(3)}$$

$$\frac{96}{100} = e^{-3r}$$

$$\ln \frac{96}{100} = \ln e^{-3r}$$

$$\ln 96 - \ln 100 = -3r$$

$$r = \frac{\ln 96 - \ln 100}{-3} \approx 0.01361$$

Find t using a sales level of $90\,\%$ and $r = 0.01361$.

$$90 = 100e^{-0.01361t}$$

$$\frac{90}{100} = e^{-0.01361t}$$

$$\ln \frac{90}{100} = \ln e^{-0.01361t}$$

$$\ln 90 - \ln 100 = -0.01361t$$

$$t = \frac{\ln 90 - \ln 100}{-0.01361} \approx 7.7414$$

Since time t is in weeks, this means the store should begin ordering roses again in about 7 and three-quarter weeks.

© Krista King Math



WWW.KRISTAKINGMATH.COM